

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for presenting email threads, comprising the steps of:

- identifying the logical components of each message in a thread;
- determining the relationships between the messages in the thread using the logical components; and
- generating a document based upon the determined relationships, wherein any logical components that are identified in each of the messages in the thread are removed during the generating step so that the generated document does not include the redundant logical components.

2. (Canceled)

3. (Original) The method of claim 1, wherein the step of identifying logical components comprises generating a message tree that includes nodes that recursively divide each of the messages into a main body, nested excerpts from other messages, and at least one subdivision wherein each subdivision is divided into lowest-level logical components.

4. (Original) The method of claim 3, wherein the step of generating a message tree comprises:

- performing a top-down, recursive descent analysis to recursively divide each of the messages into sections, each section being one of a main-body of the message, an incorporated excerpt, a suffixed excerpt, the body of an excerpt, and an excerpt within an excerpt; and
- decomposing each section into logical components using a weighted finite-state machine.

5. (Original) The method of claim 4, wherein the step of decomposing comprises:

logically concatenating subsections of the body that is separated by incorporated excerpts; and
applying a weighted finite state machine to the result.

6. (Original) The method of claim 4, wherein the step of decomposing comprises:

building a weighted network using a weighted finite state grammar;
identifying the maximally weighted path through the network; and
traversing the maximally weighted path to identify the logical components of the section.

7. (Original) The method of claim 1, wherein the document includes a compressed form of each of the messages.

8. (Original) The method of claim 7, wherein each of the compressed forms comprises non-extraneous parts of the primary text and abbreviated forms of incorporated excerpts.

9. (Original) The method of claim 1, wherein the document includes a replies as annotations form for each of the messages.

10. (Currently Amended) A computer controlled display system comprising:
a display for presenting the e-mail threads on a viewing area of the display; and

a processor that is adapted to identify the logical components of each message in a thread, determine the relationships between each message in the thread using the logical components, and generate a medium based upon the determined relationships,
wherein the processor is adapted to remove any logical components that are identified in each of the messages in the thread so that the generated medium does not include the redundant logical components.

11. (Canceled)

12. (Original) The system of claim 10, wherein the processor is adapted to generate a message tree that includes nodes that divide each message into a main body and into excerpts from other messages and further into lowest-level logical components.

13. (Original) The system of claim 12, wherein the processor is adapted to perform a top-down, recursive descent analysis to create nodes of the message tree and to analyze divided extents using a weighted finite state machine.

14. (Original) The system of claim 12, wherein the processor is adapted to identify the maximally weighted path through the weighted finite state machine, and to develop a sub tree by traversing the maximally weighted path.

15. (Original) The system of claim 10, wherein the document includes a compressed form of each of the messages.

16. (Original) The system of claim 15, wherein each of the compressed form contains non-extraneous parts of the primary text.

17. (Original) The system of claim 10, wherein the document includes a replies as annotations form for each of the messages.

18. (Currently Amended) An information storage media comprising:
information that presents the e-mail threads on a viewing area of a display;
information that identifies the logical components of each of the messages in a thread;
information that determines relationships between each of the messages in the thread using the logical components; ~~and~~
information that generates a medium based upon the determined relationships; and
information that removes any logical components that are identified in each of the messages in the thread so that the generated medium does not include the redundant logical components.

19. (Canceled)

20. (Original) The information storage media of claim 18, further comprising information that generates a message tree that includes nodes that divide each message into a main body and into excerpts from other messages and further into lowest-level logical components.

21. (Original) The information storage media of claim 18, further comprising:
information that performs a top-down, recursive descent analysis to create some nodes of the message tree; and
information that analyzes divided extents using a weighted finite state machine.

22. (Original) The information storage media of claim 21, further comprising;
information that identifies a maximally weighted path through the weighted finite state machine; and
information that develops a sub tree by traversing the maximally weighted path.

23. (Original) The information storage media of claim 18, wherein the medium includes a compressed form of each of the messages.

24. (Original) The system of claim 23, wherein each of the compressed form contains non-extraneous parts of the primary text.

25. (Original) The system of claim 18, wherein the medium includes a replies as annotations form for each of the messages.

26. (Currently Amended) A computer system for presenting email threads comprising a computer processor for: (a) identifying logical components of each message in a

thread; (b) determining relationships between the messages in the thread using the logical components; and (c) generating a medium based upon the determined relationships, wherein the e-mail threads are presented in the medium as semi-connected text, and wherein any logical components that are identified in each of the messages in the thread are removed during the generating step so that the generated medium does not include the redundant logical components.

27. (Original) The system of claim 26, wherein the medium is one of a human readable document and a computer readable document.